

L Number	Hits	Search Text	DB	Time stamp
15	533	703/6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:56
16	229	703/7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:56
17	130	399/38.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:57
18	38	399/411.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/27 14:57
19	104	(703/6.ccls. or 703/7.ccls. or 399/38.ccls. or 399/411.ccls.) and mirror and light	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:05
20	22	((703/6.ccls. or 703/7.ccls. or 399/38.ccls. or 399/411.ccls.) and mirror and light) and ((rotating or moving) same mirror\$1) and ((stationary or fixed) same light or laser)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:05
22	6	((703/6.ccls. or 703/7.ccls. or 399/38.ccls. or 399/411.ccls.) and mirror and light) and ((rotating or moving) same mirror\$1) and ((stationary or fixed) same light or laser)) and (CAD or simulation)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:03
23	4872	((rotating or moving) same mirror\$1) and ((stationary or fixed) same (light or laser)) and (optic or optical or laser or photo or light) same (path or beam or route or trajectory or trajectories or direction) same (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:07
24	8477	((rotating or moving) with mirror\$1) and ((stationary or fixed) with (light or laser))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:08
25	76007	(optic or optical or laser or photo or light) same (path or beam or route or trajectory or trajectories or direction) same (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12
26	13631	((rotat\$3 or mov\$3) with mirror\$1) and ((stationary or fixed) with (light or laser))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12
27	4212	((optic or optical or laser or photo or light) same (path or beam or route or trajectory or trajectories or direction) same (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) and (((rotat\$3 or mov\$3) with mirror\$1) and ((stationary or fixed) with (light or laser)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12

28	2673	((optic or optical or laser or photo or light) same (path or beam or route or trajectory or trajectories or direction) same (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) and (((rotat\$3 or mov\$3) with mirror\$1) and ((stationary or fixed) with (light or laser)))) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12
29	27632	(optic or optical or laser or photo or light) with (path or beam or route or trajectory or trajectories or direction) with (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12
30	4860	((rotat\$3 or mov\$3) with mirror\$1) same ((stationary or fixed) with (light or laser))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:12
31	715	((optic or optical or laser or photo or light) with (path or beam or route or trajectory or trajectories or direction) with (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) and (((rotat\$3 or mov\$3) with mirror\$1) same ((stationary or fixed) with (light or laser)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:13
32	408	((optic or optical or laser or photo or light) with (path or beam or route or trajectory or trajectories or direction) with (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) and (((rotat\$3 or mov\$3) with mirror\$1) same ((stationary or fixed) with (light or laser)))) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:13
33	89	((optic or optical or laser or photo or light) with (path or beam or route or trajectory or trajectories or direction) with (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) same (((rotat\$3 or mov\$3) with mirror\$1) same ((stationary or fixed) with (light or laser)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:13
34	63	((optic or optical or laser or photo or light) with (path or beam or route or trajectory or trajectories or direction) with (simulate or simulation or simulating or emulate or emulation or emulating or model or modeling or modelling or calculate or calculation or calculating or design or designing)) same (((rotat\$3 or mov\$3) with mirror\$1) same ((stationary or fixed) with (light or laser)))) and @ad<19991111	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/08/27 15:13
-	33	FUJINO-H.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 20:32
-	0	FUJINO-HIDEKI.in. and FUJINO-H.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 20:32

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


>> See

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **9** of **1064971** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Undercut ridge structures: a novel approach to 1.3/1.55 μ m vertical cavity lasers designed for continuous-wave operation

 Salet, P.; Plais, A.; Derouin, E.; Fortin, C.; Starck, C.; Jacquet, J.; Brillouet, F.
 Optoelectronics, IEEE Proceedings- , Volume: 145 , Issue: 2 , April 1998
 Pages:125 - 131

[\[Abstract\]](#) [\[PDF Full-Text \(696 KB\)\]](#) **IEEE JNL**
2 Feedback control of intense femtosecond laser pulses using a novel spatial light modulator

 Suda, A.; Oishi, Y.; Pengqian Wang; Nagasaka, K.; Midorikawa, K.;
 Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference on , 10-15 Sept 2000
 Pages:1 pp.

[\[Abstract\]](#) [\[PDF Full-Text \(92 KB\)\]](#) **IEEE CNF**
3 Transport experiments of a 2.2 GeV gold ion beam in a plasma channel at the GSI-UNILAC facility

 Penache, D.; Niemann, C.; Tauschwitz, A.; Presura, R.; Knobloch, R.; Neff, S. M.G.; Hoffmann, D.H.H.; Penache, C.; Roth, M.; Wahl, H.;
 Pulsed Power Plasma Science, 2001. IEEE Conference Record - Abstracts , 17 June 2001
 Pages:404

[\[Abstract\]](#) [\[PDF Full-Text \(72 KB\)\]](#) **IEEE CNF**
4 Root locus method for predicting the stability of laser diodes with optical feedback

Pierce, I.; Rees, P.; Spencer, P.S.; Shore, K.A.;

Electronics Letters , Volume: 36 , Issue: 12 , 8 June 2000
Pages:1029 - 1031

[\[Abstract\]](#) [\[PDF Full-Text \(224 KB\)\]](#) [IEEE JNL](#)

5 A reflective curved mirror with low coupling loss for optical interconnection

Sang-Pil Han; Jin Tae Kim; Suk-Won Jung; Seung-Ho Ahn; Choon-Gi Choi; M. Yung Jeong;

Photonics Technology Letters, IEEE , Volume: 16 , Issue: 1 , Jan. 2004
Pages:185 - 187

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) [IEEE JNL](#)

6 Dispersion oscillations in ultrafast phase-correction devices

Steinmeyer, G.;

Quantum Electronics, IEEE Journal of , Volume: 39 , Issue: 8 , Aug. 2003
Pages:1027 - 1034

[\[Abstract\]](#) [\[PDF Full-Text \(442 KB\)\]](#) [IEEE JNL](#)

7 Adaptive-optics compensation in a Raman amplifier configuration

Higgs, C.; Russell, J.A.; Trainor, D.W.; Roberts, T.; Ariel, E.D.; Player, B.E.; M.J.; Bradley, L.C.;

Quantum Electronics, IEEE Journal of , Volume: 26 , Issue: 5 , May 1990
Pages:934 - 941

[\[Abstract\]](#) [\[PDF Full-Text \(720 KB\)\]](#) [IEEE JNL](#)

8 Beam phasing properties of optical fiber as phase conjugate mirror

Willis, S.M.; Roh, W.B.;

Lasers and Electro-Optics Society, 2003. LEOS 2003. The 16th Annual Meeting of the IEEE , Volume: 1 , 27-28 Oct. 2003
Pages:105 - 106 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(228 KB\)\]](#) [IEEE CNF](#)

9 Control architecture for increased performance in pointing lasers

Cusumano, S.; Robertson, L.; Tellez, J.; Tipton, C.; Jordan, D.; Ratte, K.;

Aerospace Conference, 1999. Proceedings. 1999 IEEE , Volume: 3 , 6-13 Mar 1999
Pages:351 - 358 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(308 KB\)\]](#) [IEEE CNF](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved